

Batch	287334	Please note: Measured without any additional upstream or downstream restrictions
Date	19.07.23	

		bar											deg C
l/min	Sample	0.50	0.70	1.00	1.50	2.00	3.00	4.00	6.00	8.00	10.00		
	Sample 1	3.16	3.45	3.66	3.93	4.09	4.13	4.24	4.30	4.18	4.08		38.06
	Sample 2	3.59	3.96	4.11	4.25	4.33	4.26	4.25	4.23	4.12	3.97		38.20
	Sample 3	3.52	3.90	4.09	4.28	4.35	4.25	4.23	4.21	4.11	3.96		38.29
	Sample 4	3.78	4.24	4.48	4.47	4.48	4.36	4.26	4.20	4.08	3.92		38.39
	Sample 5	3.33	3.61	3.85	4.12	4.22	4.26	4.34	4.29	4.23	4.13		38.09
	Sample 6	3.80	4.24	4.43	4.42	4.50	4.38	4.34	4.25	4.13	3.97		38.23
	Sample 7	3.47	3.79	3.99	4.25	4.35	4.33	4.36	4.38	4.28	4.13		38.30
	Sample 8	3.74	4.18	4.41	4.32	4.33	4.22	4.15	4.12	3.97	3.79		38.11
	Mean	3.55	3.92	4.13	4.26	4.33	4.27	4.27	4.25	4.14	3.99		

